



This guide must be used in order to get correct measurements for Flex Series Glass.

GLASS MEASURING GUIDE

Flex Series


Measuring Glass For Flex Series







Measuring Track to Stud

When measuring Track to Stud, place your tape at the top of the bottom track and measure up to the stud bead and add ¾" as shown in the picture.







TRACK

Clerestory


When measuring a clerestory, place your tape against the stud bead and measure up to the bottom of the top track like shown in picture and add a **1/2".**


CLEAR CLEAR 6 HF // HF CLEAR CLEAR

Full Height Glass


Measure the visual opening from the top track to the bottom track and add ¾" like shown in the picture.


When measuring for Flex Series full height glass you will need to measure both sides of your opening and adjust your measurement appropriately.







Measuring Guide For All Glass Door Height






Measuring Guide For All Glass Swing Door







C-RAIL GLASS DOOR MEASUREMENT (GENESIS STUD)



GLASS DOOR MEASURMENT FOR C-RAIL:


MEASURE FROM THE BOTTOM FIN OF THE GENESIS STUD

TO THE TOP OF FINISHED FLOOR,

THEN ADD 3/4"



C-RAIL GLASS DOOR MEASUREMENT (FLEX STUD)



GLASS DOOR MEASURMENT FOR C-RAIL:

MEASURE FROM THE BOTTOM FIN OF THE FLEX STUD

TO THE TOP OF FINISHED FLOOR,

THEN ADD 3/4"